

System	Linux ... 2.6.18-238.19.1.el5.centos.plusxen #1 SMP Mon Jul 18 11:52:20 EDT 2011 i686
Build Date	Jan 7 2011 08:50:02
Configure Command	./configure '--build=i686-redhat-linux-gnu' '--host=i686-redhat-linux-gnu' '--target=i686-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--with-t1lib=/usr' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-mime-magic' '--without-sqlite' '--with-libxml-dir=/usr' '--with-xml' '--with-system-tzdata' '--with-apxs2=/usr/sbin/apxs' '--without-mysql' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-pdo' '--disable-xmlreader' '--disable-xmlwriter' '--disable-json' '--without-pspell' '--disable-wddx' '--without-curl' '--disable-posix' '--disable-sysvmsg' '--disable-sysvshm' '--disable-sysvsem'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/dbase.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/mcrypt.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/Zend.ini, /etc/php.d/zip.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	/usr/lib/php/modules	/usr/lib/php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700

highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/php	./usr/share/pear:/usr/share/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	600	600
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	360	360
memory_limit	16M	16M
open_basedir	no value	no value
output_buffering	4096	4096
output_handler	no value	no value
post_max_size	2000M	2000M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	2000M	2000M

upload_tmp_dir	no value	no value
user_dir	no value	no value
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.3 (CentOS)
Apache API Version	20051115
Server Administrator	...
Hostname:Port	...
User/Group	apache(48)/48
Max Requests	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 120 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_auth_basic mod_auth_digest mod_authn_file mod_authn_alias mod_authn_anon mod_authn_dbm mod_authn_default mod_authz_host mod_authz_user mod_authz_owner mod_authz_groupfile mod_authz_dbm mod_authz_default util_ldap mod_authnz_ldap mod_include mod_log_config mod_logio mod_env mod_ext_filter mod_mime_magic mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_proxy mod_proxy_balancer mod_proxy_ftp mod_proxy_http mod_proxy_connect mod_cache mod_suexec mod_disk_cache mod_file_cache mod_mem_cache mod_cgi mod_version mod_auth_mysql mod_perl mod_php5 mod_proxy_ajp mod_python mod_ssl

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_USER_AGENT	Opera/9.80 (Windows NT 5.1; U; en) Presto/2.9.168 Version/11.51
HTTP_HOST	...
HTTP_ACCEPT	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/webp, image/jpeg, image/gif, image/x-xbitmap, */*;q=0.1
HTTP_ACCEPT_LANGUAGE	cs,en;q=0.9
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	Keep-Alive

PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache/2.2.3 (CentOS) Server at ... Port 80</address>
SERVER_SOFTWARE	Apache/2.2.3 (CentOS)
SERVER_NAME	...
SERVER_ADDR	90.183.74.19
SERVER_PORT	80
REMOTE_ADDR	188.72.227.119
DOCUMENT_ROOT	...
SERVER_ADMIN	...
SCRIPT_FILENAME	...
REMOTE_PORT	11754
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.1
User-Agent	Opera/9.80 (Windows NT 5.1; U; en) Presto/2.9.168 Version/11.51
Host	...
Accept	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/webp, image/jpeg, image/gif, image/x-xbitmap, */*;q=0.1
Accept-Language	cs,en;q=0.9
Accept-Encoding	gzip, deflate
Connection	Keep-Alive
HTTP Response Headers	
X-Powered-By	PHP/5.2.17
Connection	close
Transfer-Encoding	chunked
Content-Type	text/html

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
------------------	---------

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.15.5 OpenSSL/0.9.8b zlib/1.2.3 libidn/0.6.5

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.1.4

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
-----------	-------------	--------------

iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compatible des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	no value	no value
mcrypt.modes_dir	no value	no value

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.90
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	no value	no value
mysql.default_password	no value	no value

mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.90
Client API header version	5.0.77
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL, client library version	5.0.90
--	--------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian \$
SQLite Library	3.7.0.1

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299016 \$
Schema support	enabled

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	360	360

safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 305848 2010-11-30 11:04:06Z pajoye \$
Zip version	1.8.11
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
dbase

Environment

Variable	Value
HOSTNAME	...
TERM	xterm
SHELL	/bin/bash
HISTSIZE	1000
SSH_CLIENT	90.183.74.1 52275 22
SSH_TTY	/dev/pts/0
USER	root
LS_COLORS	no=00;fi=00;di=00;34;ln=00;36;pi=40;33;so=00;35;bd=40;33;01;cd=40;33;01;or=01;05;37;41;mi=01;05;37;41;ex=00;32;*.cmd=00;32;*.exe=00;32;*.com=00;32;*.btm=00;32;*.bat=00;32;*.sh=00;32;*.csh=00;32;*.tar=00;31;*.tgz=00;31;*.arj=00;31;*.taz=00;31;*.lzh=00;31;*.zip=00;31;*.z=00;31;*.Z=00;31;*.gz=00;31;*.bz2=00;31;*.bz=00;31;*.tz=00;31;*.rpm=00;31;*.cpio=00;31;*.jpg=00;35;*.gif=00;35;*.bmp=00;35;*.xbm=00;35;*.xpm=00;35;*.png=00;35;*.tif=00;35;
MAIL	/var/spool/mail/root
PATH	/sbin:/usr/sbin:/bin:/usr/bin
INPUTRC	/etc/inputrc
PWD	/etc/httpd/conf
LANG	C
SHLVL	3
HOME	/root
LOGNAME	root
CVS_RSH	ssh

SSH	90.183.74.1 52275 90.183.74.19 22
CONNECTION	
LESSOPEN	/usr/bin/lesspipe.sh %s
G_BROKEN	1
FILENAMES	
	/usr/sbin/httpd

PHP Variables

Variable	Value
PHP_SELF	/info.php
SERV["HTTP_USER_AGENT"]	Opera/9.80 (Windows NT 5.1; U; en) Presto/2.9.168 Version/11.51
SERV["HTTP_HOST"]	...
SERV["HTTP_ACCEPT"]	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/webp, image/jpeg, image/gif, image/x-xbitmap, */*;q=0.1
SERV["HTTP_ACCEPT_LANGUAGE"]	cs,en;q=0.9
SERV["HTTP_"]	gzip, deflate

ACCE PT_ ENC ODIN G"]	
– SERV ER ["HTT P_ CON NECT ION"]	Keep-Alive
– SERV ER ["PAT H"]	/sbin:/usr/sbin:/bin:/usr/bin
– SERV ER ["SE RVER – SIGN ATUR E"]	<address>Apache/2.2.3 (CentOS) Server at ... Port 80</address>
– SERV ER ["SE RVER – SOFT WAR E"]	Apache/2.2.3 (CentOS)
– SERV ER ["SE RVER _NAM E"]	...
– SERV ER ["SE RVER – ADDR "]	90.183.74.19
– SERV ER ["SE RVER – PORT "]	80
– SERV ER ["RE MOT	188.72.227.119

E_	
ADDR	
"]	
-	...
SERV	
ER	
["DO	
CUM	
ENT_	
ROO	
T"]	
-	...
SERV	
ER	
["SE	
RVER	
-	
ADMI	
N"]	
-	...
SERV	
ER	
["SC	
RIPT_	
FILE	
NAM	
E"]	
-	11754
SERV	
ER	
["RE	
MOT	
E_	
PORT	
"]	
-	CGI/1.1
SERV	
ER	
["GA	
TEWA	
Y_	
INTE	
RFAC	
E"]	
-	HTTP/1.1
SERV	
ER	
["SE	
RVER	
-	
PROT	
OCO	
L"]	
-	GET
SERV	
ER	
["RE	
QUES	
T_	
METH	
OD"]	
-	no value
SERV	
ER	

["QUERY_STRING"]	
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["PHP_SELF"]	/info.php
_SERVER["REQUEST_TIME"]	1316585062
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["HOSTNAME"]	...
_ENV["TERM"]	xterm
_ENV["SHELL"]	/bin/bash
_ENV["HISTSIZE"]	1000
_ENV["SSH_CLIENT"]	90.183.74.1 52275 22

_ENV ["SSH_TTY"]	/dev/pts/0
_ENV ["USER"]	root
_ENV ["LS_COLORS"]	no=00;fi=00;di=00;34:ln=00;36:pi=40;33:so=00;35:bd=40;33;01:cd=40;33;01:or=01;05;37;41:mi=01;05;37;41:ex=00;32:*.cmd=00;32:*.exe=00;32:*.com=00;32:*.btm=00;32:*.bat=00;32:*.sh=00;32:*.csh=00;32:*.tar=00;31:*.tgz=00;31:*.arj=00;31:*.taz=00;31:*.lzh=00;31:*.zip=00;31:*.z=00;31:*.Z=00;31:*.gz=00;31:*.bz2=00;31:*.bz=00;31:*.tz=00;31:*.rpm=00;31:*.cpio=00;31:*.jpg=00;35:*.gif=00;35:*.bmp=00;35:*.xbm=00;35:*.xpm=00;35:*.png=00;35:*.tif=00;35:
_ENV ["MAIL"]	/var/spool/mail/root
_ENV ["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_ENV ["INPUTRC"]	/etc/inputrc
_ENV ["PWD"]	/etc/httpd/conf
_ENV ["LANG"]	C
_ENV ["SHLVL"]	3
_ENV ["HOME"]	/root
_ENV ["LOGNAME"]	root
_ENV ["CVSRSH"]	ssh
_ENV ["SSH_CONNECTION"]	90.183.74.1 52275 90.183.74.19 22
_ENV ["LESSOPEN"]	/usr/bin/lesspipe.sh %s
_ENV ["G_BROKEN_FILENAMES"]	1

ENV ["_"]	/usr/sbin/httpd
---------------------	-----------------

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.